



**PRODUCT CATALOGUE - 2024**

**REALLY AGRITECH PVT.LTD.**



**हर किसान का  
अतूट विश्वास...**

# ABOUT US

Really Agritech is a Thane based Agritech company In India , indulged in the business of import and export. Import of Agriculture and other equipments being our substantial line of business. We strongly believe to work in the interest of our Farmers. We have built a team which is a perfect blend of business acumen, gusto, knowledge and experience with unparalleled expertise in our industry. Our leaders works together to ensure customer satisfaction by combining premium quality products at reasonable range of value, prioritized after sales service and good communication channel. Really is an ISO 9001:2015 certified Import & Export Company distributing high quality Agricultural equipment's to our farmers which helps them to save lot of time, energy and labour which in turn increases their yield and earnings. Our Products are best suited to conditions and requirements to our farmers. In a short period of time, Really has become one of the fastest growing and trusted brands having all India presence. Really is having more than 500+ dealers, 2 branch warehouses and head office located in Thane, Maharashtra.

Our Strength is high quality products, affordable value, and commitments to our dealers. At present we are having more than 100 SKU's comprising product categories like Power Weeders, Mini Weeders, Brush cutters, Crop Harvesters, Power Sprayers, Seeders, Water pumps, Earth Augers, Chaff Cutters, High Pressure Washers etc. Our products are tested by FMTTI (Government of India Institute) which benefits our farmers to claim subsidy schemes. We ar committed to bring innovative range of products that eases the process of work, that too with even good efficiency.

## WHY CHOOSE US?



## OUR BRANDS



# INDEX

▶ CROP HARVESTORS.....	04
▶ ATTACHMENTS.....	07
▶ POWER WEEDERS.....	08
▶ TROLLEY BRUSH CUTTERS.....	10
▶ MINI TILLERS .....	11
▶ EARTH AUGERS.....	13
▶ SELF PROPELLED BOOM SPRAYER .....	15
▶ BATTERY SPRAYERS.....	16
▶ HTP SPRAYERS & HOSE PIPES.....	18
▶ PORTABLE POWER SPRAYERS.....	20
▶ KNAPSACK POWER SPRAYERS.....	22
▶ FOGGING MACHINES.....	25
▶ WATER PUMP SETS.....	27
▶ CHAFF CUTTERS.....	29
▶ MANUAL SEEDERS.....	30
▶ RICE MILL MACHINES.....	31
▶ CHAINSAW.....	34



# CROP HAVESTORS



**2 Stroke**



Accessories



## RAPL-PCHS-52S

DISPLACEMENT	52CC
ENGINE POWER	2 HP / 7000RPM
ENGINE TYPE	2 STROKE
FUEL	OIL MIX PETROL 1:25
CARRY TYPE	SIDEPACK



**2 Stroke**



Accessories



## RAPL-PCHB-52K

DISPLACEMENT	52CC
ENGINE POWER	2 HP / 7000RPM
ENGINE TYPE	2 STROKE
FUEL	OIL MIX PETROL 1:25
CARRY TYPE	BACKPACK



**RAPL-PCHS-355**

DISPLACEMENT	35CC
ENGINE POWER	1.25 HP / 7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK

Accessories



**4 Stroke**



**RAPL-PCHB-35K**

DISPLACEMENT	35CC
ENGINE POWER	1.25 HP / 7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	BACKPACK

Accessories



**4 Stroke**



**RAPL-PCHS-50S**

DISPLACEMENT	50CC
ENGINE POWER	2 HP / 7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK

Accessories



**4 Stroke**



**RAPL-PCHB-50K**

DISPLACEMENT	50CC
ENGINE POWER	2 HP / 7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	BACKPACK

Accessories





## WALBRO CARBURETOR

### R43-S

DISPLACEMENT	43CC
ENGINE POWER	1.25 HP / 7000RPM
ENGINE TYPE	2 STROKE
FUEL	OIL MIX PETROL 1:25
CARRY TYPE	SIDEPACK

## HONDA OEM PRODUCTS

POWERED by  
**HONDA**

**4 Stroke**



### RAPL-BC-HONDA GX35-OEM

DISPLACEMENT	35.8CC
ENGINE POWER	1.5 HP / 7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK

POWERED by  
**HONDA**

**4 Stroke**



### RAPL-BC-HONDA GX50-OEM

DISPLACEMENT	47.9CC
ENGINE POWER	2 HP / 7000RPM
ENGINE TYPE	4 STROKE
FUEL	PETROL
CARRY TYPE	SIDEPACK

## ACCESSORIES INSIDE BOX





## ATTACHMENTS



### CHAINSAW ATTACHMENT

DIA SIZE	26MM / 28MM
SPLINE	9
GUIDE BAR	11 INCH



### HEDGE TRIMMER ATTACHMENT

DIA SIZE	26MM / 28MM
SPLINE	9
BAR LENGTH	28 INCH



### WATERPUMP ATTACHMENT

DIA SIZE	26MM / 28MM
SPLINE	9
OUTFLOW SIZE	1 INCH / 1.5 INCH



### TYPE 1 - TILLER

DIA SIZE	26MM / 28MM
SPLINE	9
TILLER LENGTH	13.5 INCH



### TYPE 2 - WEEDER

DIA SIZE	26MM / 28MM
SPLINE	9
WEEDER LENGTH	15 INCH



### TYPE 3 WEEDER

DIA SIZE	26MM / 28MM
SPLINE	9
WEEDER LENGTH	15 INCH



## POWER WEEDER



### RAPL-RH-700G

ENGINE MODEL	170F - PETROL
DISPLACEMENT	212 CC / 4 STROKE
MAX. POWER	5.5 HP
STARTING SYTEM	RECOIL
TRANSMISSION	2 FORWARD - 1 REVERSE
HANDLE BAR SYSTEM	UP/DOWN , LEFT/RIGHT
TYRE	4.0-8 TUBLESS
BLADES ( DRY LAND )	4 GROUP X 2+1+1 ( 32 PCS )
PACKING	WOODEN BOX



**TUBLESS TYRE**



**32 BLADES  
2+1+1**



**SIDE DISC**



**ADJUSTABLE  
RIDGER**



# POWER WEEDER



## RAPL-RH-700G PREMIUM

ENGINE MODEL	170F-PETROL
DISPLACEMENT	212 CC / 4 STROKE
MAX. POWER	5.5 HP
STARTING SYSTEM	RECOIL
TRANSMISSION	2 FORWARD 1 REVERSE
HANDLE BAR SYSTEM	UP/DOWN/LEFT/RIGHT
TYRE	4.0-8 TUBELESS
BLADES (DRY LAND)	4 GROUP X2+1+1 (32 PCS)
PACKING	WOODEN BOX



EASY GEAR SYSTEM



SAFETY GRILL



SHOCK ABSORB TECHNOLOGY



DOUBLE FENDER



32 BLADES 2+1+1



SIDE DISC



ADJUSTABLE RIDGER



RADIAL TYRES 400-8



## RAPL-RH-773D PREMIUM

ENGINE MODEL	173F-ENGINE
DISPLACEMENT	247 CC / DIESEL
MAX. POWER	5.5 HP
STARTING SYSTEM	RECOIL
TRANSMISSION	GEAR
HANDLE BAR SYSTEM	UP/DOWN
TYRE	4.0-8 TUBELESS
BLADES (DRY LAND)	4 GROUP X2+1+1 (32 PCS)
GEAR	R, 0, 1, 2,



EASY GEAR SYSTEM



SHOCK ABSORB TECHNOLOGY



DOUBLE FENDER



RADIAL TYRES 400-8



32 BLADES 2+1+1



SIDE DISC



ADJUSTABLE RIDGER



**TROLLEY BRUSH CUTTERS**



**2** Stroke

**RAPL-TH-52-ST03**

DISPLACEMENT 52CC

ENGINE POWER 2 HP / 7000RPM

ENGINE TYPE 2 STROKE

FUEL OIL MIX PETROL 1:25

CARRY TYPE TROLLEY

SUITABLE FOR GRASS CUTTING /  
TILLING / WEEDING



**RAPL-RH-630I-ST04**

DISPLACEMENT	52CC
ENGINE POWER	2 HP / 7000RPM
ENGINE TYPE	2 STROKE
FUEL	OIL MIX PETROL 1:25
CARRY TYPE	TROLLEY
SUITABLE FOR	TILLING / WEEDING



**RAPL-RH-2000**

ENGINE MODEL	170F PETROL
ENGINE POWER/RPM	212CC/3600
WORKING WIDTH	20 CMS/8 INCH
TOTAL WIDTH	27 CMS/10.6 INCH
WEEDING BLADES	7
ROTARY BLADES	NO
PUSH TYPE	HAND PUSH



**RAPL-RH-2600**

ENGINE MODEL	170F PETROL
ENGINE POWER/RPM	212CC/3600
WORKING WIDTH	26 CMS/10.25 INCH
TOTAL WIDTH	33 CMS/13 INCH
WEEDING BLADES	7
ROTARY BLADES	NO
PUSH TYPE	HAND PUSH



**RAPL-RH-3800G**

ENGINE MODEL	170F PETROL
ENGINE POWER/RPM	212CC/3600
WORKING WIDTH	38 CMS/15 INCH
TOTAL WIDTH	44 CMS/17.3 INCH
WEEDING BLADES	7
ROTARY BLADES	YES
PUSH TYPE	HAND PUSH



**RAPL-RH-3800D**

ENGINE MODEL	173F DIESEL
ENGINE POWER/RPM	247CC/3600
WORKING WIDTH	38 CMS/15 INCH
TOTAL WIDTH	44 CMS/13 INCH
WEEDING BLADES	7
ROTARY BLADES	NO
PUSH TYPE	HAND PUSH



**RAPL-RH-3800G-SP**

ENGINE MODEL	170F PETROL
ENGINE POWER/RPM	212CC/3600
WORKING WIDTH	38 CMS/15 INCH
TOTAL WIDTH	45 CMS/17.7 INCH
WEEDING BLADES	7
ROTARY BLADES	YES
PUSH TYPE	SELF PROPELLED



**RAPL-RH-3800D-SP**

ENGINE MODEL	173F DIESEL
ENGINE POWER/RPM	247CC/3600
WORKING WIDTH	38 CMS/15 INCH
TOTAL WIDTH	45 CMS/17.7 INCH
WEEDING BLADES	7
ROTARY BLADES	YES
PUSH TYPE	SELF PROPELLED



## EARTH AUGERS



**2 Stroke**

### RAPL-EA-5210

DISPLACEMENT	52CC
ENGINE POWER	2 HP
ENGINE TYPE	2 STROKE
DRILL RANGE	40MM-300MM
HANDLE TYPE	ONE MAN OPERATED
FUEL	OIL MIX PETROL 1:25



**2 Stroke**

### RAPL-EA-6310

DISPLACEMENT	63CC
ENGINE POWER	3 HP
ENGINE TYPE	2 STROKE
DRILL RANGE	40MM-300MM
HANDLE TYPE	ONE MAN OPERATED
FUEL	OIL MIX PETROL 1:25

**FOLDABLE**



**2 Stroke**

**NON FOLDABLE**



**2 Stroke**



**2 Stroke**



80mm 100mm 150mm 200mm 250mm 300mm



**RAPL-PHD-6802**

DISPLACEMENT	63CC
ENGINE POWER	3 HP
ENGINE TYPE	2 STROKE
DRILL RANGE	40MM-300MM
HANDLE TYPE	ONE MAN OPERATED
FUEL	OIL MIX PETROL 1:25

**RAPL-HPA-6302**

DISPLACEMENT	63CC
ENGINE POWER	3 HP
ENGINE TYPE	2 STROKE
DRILL RANGE	40MM-300MM
HANDLE TYPE	ONE MAN OPERATED
FUEL	OIL MIX PETROL 1:25

**RAPL-PHD-6801**

DISPLACEMENT	63CC
ENGINE POWER	3 HP
ENGINE TYPE	2 STROKE
DRILL RANGE	40MM-300MM
FUEL	OIL MIX PETROL 1:25
HANDLE TYPE	ONE MAN OPERATED

**RAPL-DRILL BITS & EXTENSIONS**

DRILL BITS	WIDTH	LENGTH
60MM	2.4"	32"
100MM	4"	32"
150MM	6"	32"
200MM	8"	32"
250MM	10"	32"
300MM	12"	32"
100 CM EXTENSION		39"
70 CM EXTENSION		27"



## SELF PROPELLED BOOM SPRAYER

**4Stroke**



### RAPL-BS-100

ENGINE MODEL	170F
POWER / RPM	4STROKE GASOLINE
TANK CAPACITY	100 LITRES
FLOW LPM	17-22 L
NO. OF NOZZLES	8 PLASTIC + 8 ZINC
WORKING / SPRAY WIDTH	4100MM / 4600MM
WHEEL TRACK	70CM - 120CM <small>ADJUSTABLE (CUSTOMIZED)</small>
GEAR SHIFT	2F, 1R / SELF PROPELLED
WEIGHT	120 KG

Large Capacity / Wide Coverage / Easy To Operate

CHASSIS HEIGHT FROM THE GROUND - 90CM

### Product Details



A Chemical Tank With A Large Capacity To Minimize The Need For Frequent Refilling



High-Quality 4-Stroke Engine For Prolonged And Durable Operational Performance



Optimize User Comfort With A Well-Balanced Structure In The 4-Wheel Drive System, Reducing Operational Strain



Control Machine Speed Effortlessly With A Gear Adjustment Lever-Two Forward Speed And One Reverse For Maximum Flexibility



Adjustable-Height Spray Arm To Cater To Varying Crop Heights, Ensuring Precise And Effective Spaying



Adapt To Different Fields With An Adjustable Wheel Track Base For Versatile Coverage



## BATTERY SPRAYER



### RAPL-20-DM-12V 12AH

BATTERY	12V 12AH (3.0 KGS)
PUMP	8.0 LPM, DOUBLE MOTOR
TYPE	BATTERY OPERATED
TANK	20L
SPEED CONTROLLER	YES
CHARGER	1.7A







## RAPL-20-DM-12V 16AH

BATTERY	12V 16 AH (3.5 KGS)
PUMP	8.0 LPM, DOUBLE MOTOR
TYPE	BATTERY OPERATED
TANK	20L
SPEED CONTROLLER	YES
CHARGER	1.7A



## RAPL-PS-1216

BATTERY	12V 16 AH (3.5 KGS)
PUMP	8.0 LPM, DOUBLE MOTOR
TYPE	BATTERY OPERATED
SPEED CONTROLLER	YES
CHARGER	1.7A





### RAPL-PS-A1-22

SUCTION	13.5-22 L/MIN
SPEED	800-1200 RPM
WEIGHT	7.5 KGS

### RAPL-PS-A1-30

SUCTION	32-46 L/MIN
SPEED	800-1200 RPM
WEIGHT	10.5 KGS



### RAPL-PS-B3-50

SUCTION	32-46 L/MIN
SPEED	800-1200 RPM
WEIGHT	11.2 KGS

# HOSE PIPE



### RAPL-HP-8.5/50 (1/4) / (1/2) RAPL-HP-8.5/100 (1/4) / (1/2)

SIZE	8.5 MM
LAYERS	5 LAYERS
LENGTH	50 MTR & 100 MTR
JOINER SIZE	1/4 INCH / 1/2 INCH
JOINER TYPE	1 SIDE MALE , OTHER SIDE FEMALE

### RAPL-HP-10/100

SIZE	10 MM
LAYERS	5 LAYERS
LENGTH	100 MTR
JOINER SIZE	1/2 INCH
JOINER TYPE	BOTH SIDE FEMALE

## ELECTRIC HTP SPRAYER SET



### RAPL-PS-26A

PUMP	22MM
PISTON	3
MOTOR	2.5HP/220V COPPER WINDING
PRESSURE	25 BAR MAX
SUCTION	14-26L / MIN
RPM	1000 TO 1200 RPM

## GASOLINE HTP SPRAYER SET



### RAPL-PS-168F-22B

### RAPL-PS-168F-50B

ENGINE MODEL	168F, 6.5HP
SPRAYER MODEL	22 MM / 30 MM
SUCTION	13.5-20 / 32-46 L/MIN
SPEED	800-1200 RPM
WEIGHT	28 KGS
FUEL	PETROL



### RAPL-PS-650-D

ENGINE MODEL	170F
SPRAYER MODEL	25 MM (3 PISTON)
SUCTION	18-28 L/MIN
SPEED	800-1200 RPM
WEIGHT	32 KGS
PUMP MAIN MATERIAL	ANTI RUST CHROME METAL
FUEL	PETROL



**RAPL-POPS-139G**

DISPLACEMENT	31CC / 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5-2.5 MPA
OUTPUT	3-8 L/MIN
PUMP	ABS PUMP
FUEL	PETROL



**RAPL-POPS-35G**

DISPLACEMENT	35CC / 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5-2.5 MPA
OUTPUT	3-8 L/MIN
PUMP	ABS PUMP
FUEL	PETROL

**ACCESSORIES INSIDE BOX**

15 Mtrs





<b>RAPL-PPS-35K (KTS)</b>	
DISPLACEMENT	35CC, 4 STROKE
PRESSURE	1.5-2.5 MPA
OUTPUT	3-8 L/MIN
PUMP	HEAVY BRASS
FUEL	PETROL
OUTLET	2



<b>RAPL-PPS-50G</b>	
DISPLACEMENT	50CC, 4 STROKE
PRESSURE	1.5-2.5 MPA
OUTPUT	3-8 L/MIN
PUMP	BRASS
FUEL	PETROL
OUTLET	2

**SPECIALLY DESIGNED FOR  
LONG HEIGHT TREE  
ARECANUT / COCONUT  
APPLE TREE**



**ACCESSORIES INSIDE BOX**





## 4 Stroke

ENGINE APPROVED BY:



CM/L-4100081267

### RAPL-KS-3935

DISPLACEMENT	35CC , 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5- 2.5 MPA
WATER FLOW	3 - 8 LTR / MIN
TANK CAPACITY	20L
PUMP	ABS PUMP

## 4 Stroke

ENGINE APPROVED BY:



CM/L-4100081267

### RAPL-KS-4131

DISPLACEMENT	31CC , 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5- 2.5 MPA
WATER FLOW	3 - 8 LTR / MIN
TANK CAPACITY	20L
PUMP	ABS PUMP



CARRY SYSTEM



LATEST DESIGN WATER-PROOF SWITCH



ERGONOMICS KNAPSACK DESIGN



SMART LEAKAGE CAP



GUN HOLD SYSTEM



HUMANIZED QUICK SWITCH

ENGINE APPROVED BY:



CM/L-4100081267

## 4 Stroke



### RAPL-KS-3520

DISPLACEMENT	35CC, 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5- 2.5 MPA
WATER FLOW	3 - 8 LTR / MIN
TANK CAPACITY	20L
PUMP	HEAVY BRASS

## 4 Stroke

ENGINE APPROVED BY:



CM/L-4100081267

### RAPL-KS-3120

DISPLACEMENT	31CC, 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5- 2.5 MPA
WATER FLOW	3 - 8 LTR / MIN
TANK CAPACITY	20L
PUMP	HEAVY BRASS



HEAVY BRASS PUMP



LATEST DESIGN WATER-PROOF SWITCH



LEATHER BELT



GUN HOLD SYSTEM



HUMANIZED QUICK SWITCH

ENGINE APPROVED BY:



CM/L-4100081267

## 4 Stroke

### RAPL-KS-2520

DISPLACEMENT	25CC, 4 STROKE
ENGINE POWER	1 HP / 7000 RPM
PRESSURE	1.5- 2.5 MPA
WATER FLOW	3 - 8 LTR / MIN
TANK CAPACITY	20L
PUMP	HEAVY BRASS



## 2 Stroke

ENGINE APPROVED BY:



CM/L-4100081267

### RAPL-KS-2620

DISPLACEMENT	26CC, 2 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
PRESSURE	1.5- 2.5 MPA
WATER FLOW	3 - 8 LTR / MIN
TANK CAPACITY	20L
PUMP	HEAVY BRASS



HEAVY BRASS PUMP



LATEST DESIGN WATER-PROOF SWITCH



LEATHER BELT



GUN HOLD SYSTEM



HUMANIZED QUICK SWITCH





## FOGGING MACHINES



### RAPL-R120

MODEL	R120
EMPTY WEIGHT	11.5KG
SIZE (LxWxH)	1050X260X260MM
CAPACITY OF SOLUTION TANK	8 LITRES X 2
CAPACITY OF FUEL TANK	2.0 LITERS
MAX. FUEL CONSUMPTION	2.6 L/H
MAX. PERFORMANCE OF ENGINE	23.8 KW (40.15HP)
AUTOMATIC IGNITION	ELECTRIC IGNITION COIL BY REC. BATTERY
STARTING DEVICE	AUTOMATIC AND MANUAL START
FLOW RATE	10-35 L/H
STANDARD FLOW RATE	15 L/H
DROPLET SIZE SPECTRUM	<30UM
COMBUSTION CHAMBER MATERIAL	316 STAINLESS STEEL
COMBUSTION CHAMBER MODEL	70X32
FRAME MATERIAL	TITANIUM STAINLESS STEEL
CARBURETOR	SELF-SUCTION CARBURETOR X 2PCS
DISPLACEMENT	48CC



## RAPL-R180

MODEL	R180
EMPTY WEIGHT	11.5KG
SIZE (LxWxH)	1050X260X260MM
CAPACITY OF SOLUTION TANK	8 LITRES X 2
CAPACITY OF FUEL TANK	2.0 LITERS
MAX. FUEL CONSUMPTION	2.6 L/H
MAX. PERFORMANCE OF ENGINE	23.8 KW (40.15HP)
AUTOMATIC IGNITION	ELECTRIC IGNITION COIL BY 08 ACD BATTERY
STARTING DEVICE	AUTOMATIC AND MANUAL START
FLOW RATE	10-35 L/H
STANDARD FLOW RATE	18 L/H
DROPLET SIZE SPECTRUM	<50UM
COMBUSTION CHAMBER MATERIAL	304 STAINLESS STEEL
COMBUSTION CHAMBER MODEL	60X28
FRAME MATERIAL	STAINLESS STEEL
CARBURETOR	SELF-SUCTION CARBURETOR X 2PCS
DISPLACEMENT	48CC



## RAPL-W80

MODEL	W80
EMPTY WEIGHT	9.5KG
SIZE (LxWxH)	1050X310X260MM
CAPACITY OF SOLUTION TANK	7 LITRES
CAPACITY OF FUEL TANK	2.0 LITERS
MAX. FUEL CONSUMPTION	1.9 L/H
MAX. PERFORMANCE OF ENGINE	17.5 KW (24.1HP)
AUTOMATIC IGNITION	ELECTRIC IGNITION COIL BY 12V REC. BATTERY
STARTING DEVICE	AUTO,ATIC AND MANUAL START
FLOW RATE	10-35 L/H
STANDARD FLOW RATE	12 L/H
DROPLET SIZE SPECTRUM	<50UM
COMBUSTION CHAMBER MATERIAL	316 STAINLESS STEEL
COMBUSTION CHAMBER MODEL	60X28
FRAME MATERIAL	8K STAINLESS STEEL
CARBURETOR	INTERNAL PRESURIZATION CARBURETOR
DISPLACEMENT	48CC



## WATER PUMPS

**4 Stroke**



### RAPL-WP20R

ENGINE	168F , PETROL
MAX HEAD	22M
MAX SUCTION	8M
FLOW	MAX 500L/MIN
INLET / OUTLET	2 INCH
FUEL	PETROL

**4 Stroke**



### RAPL-WP30R

ENGINE	168F , PETROL
MAX HEAD	22M
MAX SUCTION	8M
FLOW	MAX 750L/MIN
INLET / OUTLET	3 INCH
FUEL	PETROL



**4 Stroke**

**RAPL-WP35G - 1"**

**RAPL-WP35G - 1.5"**

DISPLACEMENT	35CC , 4 STROKE
ENGINE POWER	1.25 HP / 7000 RPM
MAX HEAD	22M
MAX SUCTION	7M
FLOW	100L/MIN
OUTLET	1 / 1.5 INCH
FUEL	PETROL



**2 Stroke**

**RAPL-WP52G - 1"**

**RAPL-WP52G - 1.5"**

DISPLACEMENT	52CC , 2 STROKE
ENGINE POWER	2 HP / 7000 RPM
MAX HEAD	22M
MAX SUCTION	7M
FLOW	100L/MIN
OUTLET	1 / 1.5 INCH
FUEL	OIL MIX PETROL 1:25



**4 Stroke**

**RAPL-WP-98G**

MODEL	WP98G
ENGINE	154F
DISPLACEMENT	98 CC
FUEL TANK	1.4 L
OIL CAPACITY	0.35 L
INLET / OUTLET	1.5 INCH
SUCTION	5 MTR.
LIFT	14 MTR.
FLOW	MAX 200L/MIN
N. G/W. G(KG)	14/15 KGS



## RAPL-CC-9ZP-1.0

REQUIRED POWER	3 HP
SPEED OF MOTOR	2800 R/MIN
SHAFT DIAMETER	24MM
PULLEY DIAMETER	80MM
CAPACITY	400-1200 KG/HR
NO. OF BLADE	4 PCS
FINAL SIZE AFTER CUTTING	10-35MM
WEIGHT	44 KG



## RAPL-CC-9ZP-2.0


REQUIRED POWER	3 HP
SPEED OF MOTOR	2800 R/MIN
SHAFT DIAMETER	24MM
PULLEY DIAMETER	80MM
CAPACITY	700-1500 KG/HR
NO. OF BLADE	4 PCS
FINAL SIZE AFTER CUTTING	10-35MM
WEIGHT	61 KG



**SINGLE SEEDER**  
MODEL NO RAPL-MS-1S



**MANUAL PLANTER**  
MODEL NO RAPL-MP



**12T MANUAL SEEDER**  
MODEL NO RAPL-MS-12TEETH



**14 TEETH MULTI SEEDER**  
MODEL NO RAPL-MS-14T-MULTI



**14T SEEDER CUM FERTILIZER**  
MODEL NO RAPL-MS-14TEETH



**RAPL-RM-6N40**

PRODUCT NAME	SINGLE RICE MILL
MODEL	6N40
POWER ( KW )	1.8
PRODUCTIVITY ( KG/H )	120 - 150
WEIGHT ( KG )	50 KG

**RAPL-RM-6N40-9FC20**

PRODUCT NAME	COMBINED RICE MILL
MODEL	6N40-9FC20
POWER ( KW )	2.2
PRODUCTIVITY ( KG/H )	120 - 150
GRANDING CAPACITY ( KG.H )	60 KG/H
WEIGHT ( KG )	70 KG



**RAPL-RM-6N80**

**RAPL-RM-6N100**

PRODUCT NAME	SINGLE RICE MILL
MODEL	6N80 / 6n100
POWER ( KW )	1.8 - 2.2
PRODUCTIVITY ( KG/H )	> 170
WEIGHT ( KG )	50 KG



**RAPL-RM-6N40-VS**

PRODUCT NAME	SINGLE RICE MILL
MODEL	6N40-VS
POWER ( KW )	1.8
PRODUCTIVITY ( KG/H )	120 - 150
SCREENING RATE (%)	90
WEIGHT ( KG )	61 KG

**RAPL-RM-6N40-9FC20-VS**

PRODUCT NAME	COMBINED RICE MILL
MODEL	6N40-9FC20-VS
POWER ( KW )	2.2
PRODUCTIVITY ( KG/H )	120 - 150
GRADING CAPACITY ( KG/H )	60 KG/H
SCREENING RATE (%)	90
WEIGHT ( KG )	81 KG



**RAPL-RM-6N70**

PRODUCT NAME	COMMERCIAL RICE MILL
MODEL	6N70
POWER ( KW )	7.5 - 11
PRODUCTIVITY ( KG/H )	400 - 600
WEIGHT ( KG )	176 KG







**RAPL-FM-9FC20**

PRODUCT NAME	FLOUR MILL
MODEL	9FC20
POWER ( KW )	1.8
PRODUCTIVITY ( KG/H )	60-70 KG/H
WEIGHT ( KG )	55 KG

**RAPL-PT-0.8**

PRODUCT NAME	PADDY THRESHER
MODEL	0.8
POWER ( KW )	4 KW.
PRODUCTIVITY ( KG/H )	400 - 1000 KG/H



**RAPL-CT-1.0**

PRODUCT NAME	CORN THRESHER
MODEL	1.0
POWER ( KW )	0.8 KW.
PRODUCTIVITY ( KG/H )	1500 KG/H
MOTOR	1 HP



## CHAINSAW



- SINGLE GROOVE CYLINDER.
- SEMI CHISEL CHAIN.
- 40CR CRANKSHAFT.

**2Stroke**

### RAPL-CS-5810-18'-ECO

DISPLACEMENT / GUIDE BAR 58CC / 18 INCH

RATED OUTPUT POWER 2.3 KW/8500 RPM

IDLE SPEED 3200+200 RPM

OIL MIX RATIO 1.25



- SINGLE GROOVE CYLINDER.
- SEMI CHISEL CHAIN.
- 40CR CRANKSHAFT.

## 2 Stroke

### RAPL-CS-5810-22"-ECO

DISPLACEMENT / GUIDE BAR	58CC / 22 INCH
RATED OUTPUT POWER	2.3 KW/8500 RPM
IDLE SPEED	3200+200 RPM
OIL MIX RATIO	1,25



- DOUBLE GROOVE CYLINDER.
- FULL CHISEL CHAIN.
- 20 CROMO CRANKSHAFT.

## 2 Stroke

### RAPL-CS-5820-22"-SUPER PRO

DISPLACEMENT / GUIDE BAR	58CC / 22 INCH
RATED OUTPUT POWER	2.3 KW/8500 RPM
IDLE SPEED	3200+200 RPM
OIL MIX RATIO	1,25



- DOUBLE GROOVE CYLINDER.
- GRAPHITE MATERIAL PISTON.
- FULL CHISEL CHAIN.
- 20 CRMO CRANKSHAFT.

## 2 Stroke

### RAPL-CS-5830-22"-SUPER PRO

DISPLACEMENT / GUIDE BAR	58CC / 22 INCH
RATED OUTPUT POWER	2.3 KW/8500 RPM
IDLE SPEED	3200+200 RPM
OIL MIX RATIO	1,25



**PRODUCT CATALOGUE - 2023**

**REALLY AGRITECH PVT.LTD.**



**ADD - Building No. D/3, Unit NO : 13 - 16, Angel Compound, Mumbai-Nashik Highway NH 3, Pimpalas Village, Bhiwandi, Thane, Maharashtra, India - 421311.**

[www.reallyagritech.com](http://www.reallyagritech.com) [info@reallyagritech.com](mailto:info@reallyagritech.com)

**8788978080 8983449260**

# ABOUT US

Really Agritech is a Thane based Agritech company In India , indulged in the business of import and export. Import of Agriculture and other equipments being our substantial line of business. We strongly believe to work in the interest of our Farmers. We have built a team which is a perfect blend of business acumen, gusto, knowledge and experience with unparalleled expertise in our industry. Our leaders works together to ensure customer satisfaction by combining premium quality products at reasonable range of value, prioritized after sales service and good communication channel. Really is an ISO 9001:2015 certified Import & Export Company distributing high quality Agricultural equipment's to our farmers which helps them to save lot of time, energy and labour which in turn increases their yield and earnings. Our Products are best suited to conditions and requirements to our farmers. In a short period of time, Really has become one of the fastest growing and trusted brands having all India presence. Really is having more than 500+ dealers, 2 branch warehouses and head office located in Thane, Maharashtra.

Our Strength is high quality products, affordable value, and commitments to our dealers. At present we are having more than 100 SKU's comprising product categories like Power Weeders, Mini Weeders, Brush cutters, Crop Harvesters, Power Sprayers, Seeders, Water pumps, Earth Augers, Chaff Cutters, High Pressure Washers etc. Our products are tested by FMTTI (Government of India Institute) which benefits our farmers to claim subsidy schemes. We ar committed to bring innovative range of products that eases the process of work, that too with even good efficiency.

## WHY CHOOSE US?



## OUR BRANDS



- ▶ CROP HARVESTORS.....03
- ▶ EARTH AUGERS.....04
- ▶ WATER PUMPS.....04
- ▶ POWER WEEDER 400 SERIES.....05
- ▶ POWER WEEDER 500 SERIES.....07
- ▶ POWER WEEDER 600 SERIES.....10
- ▶ HIGH PRESSURE WASHERS.....12
- ▶ FOAM WASHER.....14
- ▶ CHAINSAW.....15

# CROP HARVESTOR



**4** STROKE

## DX-PCH-35SP

DISPLACEMENT - 35CC  
ENGINE POWER - 1.25 HP / 7000RPM  
ENGINE TYPE - 4 STROKE  
FUEL - PETROL  
CARRY TYPE - SIDEPACK



**4** STROKE

## DX-PCH-35BP

DISPLACEMENT - 35CC  
ENGINE POWER - 1.25 HP / 7000RPM  
ENGINE TYPE - 4 STROKE  
FUEL - PETROL  
CARRY TYPE - BACKPACK



**2** STROKE

## DX-PCH-52SP

DISPLACEMENT - 52CC  
ENGINE POWER - 2 HP / 7000RPM  
ENGINE TYPE - 2 STROKE  
FUEL - OIL MIX PETROL 1:25  
CARRY TYPE - SIDEPACK



**2** STROKE

## DX-PCH-52BP

DISPLACEMENT - 52CC  
ENGINE POWER - 2 HP / 7000RPM  
ENGINE TYPE - 2 STROKE  
FUEL - OIL MIX PETROL 1:25  
CARRY TYPE - BACKPACK

## ACCESSORIES INSIDE THE BOX



**2T BLACK BLADE**



**80T TCT BLADE**



**TRIMMER HEAD BLACK**

# EARTH AUGER



**DX-SPP-5200**

- DISPLACEMENT - 52CC / 63CC
- ENGINE POWER - 2 HP / 3 HP
- ENGINE TYPE - 2 STROKE
- DRILL RANGE - 40MM-300MM
- HANDLE TYPE - ONE MAN OPERATED
- FUEL - OIL MIX PETROL 1:25



**DX-SPP-6300**

# WATER PUMP



**WA20 / WA30**

- ENGINE - 168F , 6.5 HP , PETROL
- MAX HEAD - 22M
- MAX SUCTION - 8M
- FLOW - MAX 500L / 750L MIN
- INLET / OUTLET - 2 INCH & 3 INCH
- FUEL - PETROL



# POWER WEEDER 400 SERIES



## MY-450G

ENGINE MODEL	- 170FCC - ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
GEAR	- R, 0, 1, 2,
HHANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0-8
BLADES (DRY LAND)	- 24 PCS

## MY-470G

ENGINE MODEL	- 170FCC - ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
GEAR	- R, 0, 1, 2,
HHANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0-8
BLADES (DRY LAND)	- 32 PCS



## MY-470G-HL

ENGINE MODEL	- 170FCC - ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
GEAR	- R, 0, 1, 2,
HHANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0-8
BLADES (DRY LAND)	- 32 PCS



# POWER WEEDER 400 SERIES



## MY-480G

ENGINE MODEL	- 170FCC - ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
GEAR	- R, 0, 1, 2,
HHANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0-8
BLADES (DRY LAND)	- 32 PCS



## MY-473D

ENGINE MODEL	- 173FCC - ENGINE
DISPLACEMENT / FUEL	- 247 CC / DIESEL
MAX POWER / RPM	- 4KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
GEAR	- R, 0, 1, 2,
HHANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0-8
BLADES (DRY LAND)	- 32 PCS

## MY-478D

ENGINE MODEL	- 178FCC - ENGINE
DISPLACEMENT / FUEL	- 296 CC / DIESEL
MAX POWER / RPM	- 4.4KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
GEAR	- R, 0, 1, 2,
HHANDLE BAR SYSTEM	- UP / DOWN / LEFT / RIGHT
TYRE	- 4.00-8
BLADES (DRY LAND)	- 32 PCS



# POWER WEEDER 500 SERIES



## MY-300G

- DISPLACEMENT - 63CC
- ENGINE POWER - 2.2 KW / 3 HP / 7000 RPM
- ENGINE TYPE - 2 STROKE
- FUEL - OIL MIX PETROL 1 : 25
- CARRY TYPE - TROLLEY
- SUITABLE FOR - TILLING / WEEDING



## MY-550G

- ENGINE MODEL - 170F ENGINE
- DISPLACEMENT / FUEL - 212 CC / PETROL
- MAX POWER / RPM - 4 KW / 3600 RPM
- STARTING SYSTEM - RECOIL
- TRANSMISSION - GEAR
- HANDLE BAR SYSTEM - UP / DOWN
- TYRE - 4.0 - 8
- BLADES ( DRY LAND ) - 24 PCS
- GEAR - R , 0 , 1 , 2
- TILLING DEPTH ( MM ) - 100 - 300 MM
- TILLING WIDTH ( MM ) - 800 MM

# POWER WEEDER 500 SERIES



**ELECTRIC  
START**



## MY-550G-ES

ENGINE MODEL	- 170F ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4 KW / 3600 RPM
STARTING SYSTEM	- RECOIL / ELECTRIC
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0 - 8
BLADES ( DRY LAND )	- 24 PCS
GEAR	- R, 0, 1, 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 800 MM

## MY-570G

ENGINE MODEL	- 170F ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4 KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0 - 8
BLADES ( DRY LAND )	- 32 PCS
GEAR	- R, 0, 1, 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1050 MM



## MY-573D

ENGINE MODEL	- 173F ENGINE
DISPLACEMENT / FUEL	- 247 CC / DIESEL
MAX POWER / RPM	- 4 KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0 - 8
BLADES ( DRY LAND )	- 32 PCS
GEAR	- R, 0, 1, 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1050 MM



# POWER WEEDER 500 SERIES



## MY-578D

- |                      |                            |
|----------------------|----------------------------|
| ENGINE MODEL         | - 178F ENGINE              |
| DISPLACEMENT / FUEL  | - 296 CC / DIESEL          |
| MAX POWER / RPM      | - 4.4 KW / 4000 RPM        |
| STARTING SYSTEM      | - RECOIL                   |
| TRANSMISSION         | - GEAR                     |
| HANDLE BAR SYSTEM    | - UP / DOWN / LEFT / RIGHT |
| TYRE                 | - 5.0 - 12                 |
| BLADES ( DRY LAND )  | - 32 PCS                   |
| GEAR                 | - R, 0, 1, 2               |
| TILLING DEPTH ( MM ) | - 100 - 300 MM             |
| TILLING WIDTH ( MM ) | - 1050 MM                  |



## MY-585D

- |                      |                            |
|----------------------|----------------------------|
| ENGINE MODEL         | - 186F ENGINE              |
| DISPLACEMENT / FUEL  | - 406 CC / DIESEL          |
| MAX POWER / RPM      | - 5.5 KW / 3600 RPM        |
| STARTING SYSTEM      | - RECOIL                   |
| TRANSMISSION         | - GEAR                     |
| HANDLE BAR SYSTEM    | - UP / DOWN / LEFT / RIGHT |
| TYRE                 | - 5.0 - 12                 |
| BLADES ( DRY LAND )  | - 40 PCS                   |
| GEAR                 | - R, 0, 1, 2               |
| TILLING DEPTH ( MM ) | - 100 - 300 MM             |
| TILLING WIDTH ( MM ) | - 1350 MM                  |

## MY-585D-E

- |                      |                            |
|----------------------|----------------------------|
| ENGINE MODEL         | - 186F ENGINE              |
| DISPLACEMENT / FUEL  | - 406 CC / DIESEL          |
| MAX POWER / RPM      | - 5.5 KW / 3600 RPM        |
| STARTING SYSTEM      | - RECOIL / ELECTRIC        |
| TRANSMISSION         | - GEAR                     |
| HANDLE BAR SYSTEM    | - UP / DOWN / LEFT / RIGHT |
| TYRE                 | - 5.0 - 12                 |
| BLADES ( DRY LAND )  | - 40 PCS                   |
| GEAR                 | - R, 0, 1, 2               |
| TILLING DEPTH ( MM ) | - 100 - 300 MM             |
| TILLING WIDTH ( MM ) | - 1350 MM                  |



# POWER WEEDER 600 SERIES



## MY-600G

ENGINE MODEL	- 170F ENGINE
DISPLACEMENT / FUEL	- 212 CC / PETROL
MAX POWER / RPM	- 4.2 KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN / LEFT / RIGHT
TYRE	- 4.0 - 8 ( TUBELESS )
BLADES ( DRY LAND )	- 32 PCS
GEAR	- R, 0, 1, 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1050 MM

## MY-673D KAMA ENGINE

ENGINE MODEL	- 173F KAMA ENGINE
DISPLACEMENT / FUEL	- 247 CC / DIESEL
MAX POWER / RPM	- 4 KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN
TYRE	- 4.0 - 8 ( TUBELESS )
BLADES ( DRY LAND )	- 32 PCS
GEAR	- R, 0, 1, 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1050 MM



## MY-678D KAMA ENGINE

ENGINE MODEL	- 178F KAMA ENGINE
DISPLACEMENT / FUEL	- 296 CC / DIESEL
MAX POWER / RPM	- 4.4 KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN / LEFT / RIGHT
TYRE	- 5.0-12 ( TUBELESS )
BLADES ( DRY LAND )	- 32 PCS
GEAR	- R, 0, 1, 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1050 MM



# POWER WEEDER 600 SERIES



## MY-685D KAMA ENGINE

ENGINE MODEL	- 186F KAMA ENGINE
DISPLACEMENT / FUEL	- 406 CC / DIESEL
MAX POWER / RPM	- 5.5 KW / 3600 RPM
STARTING SYSTEM	- RECOIL
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN / LEFT / RIGHT
TYRE	- 5.0 - 12 ( TUBELESS )
BLADES ( DRY LAND )	- 40 PCS
GEAR	- R , 0 , 1 , 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1350 MM

ELECTRIC  
START

## MY-685DE KAMA ENGINE

ENGINE MODEL	- 186F KAMA ENGINE
DISPLACEMENT / FUEL	- 406 CC / DIESEL
MAX POWER / RPM	- 5.5 KW / 3600 RPM
STARTING SYSTEM	- RECOIL / ELECTRIC
TRANSMISSION	- GEAR
HANDLE BAR SYSTEM	- UP / DOWN / LEFT / RIGHT
TYRE	- 5.0 - 12 ( TUBELESS )
BLADES ( DRY LAND )	- 40 PCS
GEAR	- R , 0 , 1 , 2
TILLING DEPTH ( MM )	- 100 - 300 MM
TILLING WIDTH ( MM )	- 1350 MM



# HIGH PRESSURE WASHER



## MY-HPW-280A

WORKING PRESSURE (BAR)	-	90
POWER (HP)	-	2
VOLTAGE	-	220V
FLOW(L/MIN)	-	10
ROTATING SPEED (RPM)	-	2800
AUTO STOP (YES/NO)	-	YES



## MY-HPW-380A

WORKING PRESSURE (BAR)	-	90
POWER (HP)	-	2
VOLTAGE	-	220V
FLOW(L/MIN)	-	10
ROTATING SPEED (RPM)	-	2800
AUTO STOP (YES/NO)	-	YES



## MY-HPW-I500A

WORKING PRESSURE (BAR)	-	90
POWER	-	1500 W
VOLTAGE	-	220 V
FLOW(L/MIN)	-	6
ROTATING SPEED (RPM)	-	2800
AUTO STOP (YES/NO)	-	YES



## MY-HPW-I700C

WORKING PRESSURE (BAR)	-	90
POWER	-	1500 W
VOLTAGE	-	220 V
FLOW(L/MIN)	-	6
ROTATING SPEED (RPM)	-	2800
AUTO STOP (YES/NO)	-	YES



# HIGH PRESSURE WASHER



## MY-HPW-1800

WORKING PRESSURE (BAR)	-	180
POWER	-	3 HP
VOLTAGE	-	220V
FLOW(L/MIN)	-	10
ROTATING SPEED (RPM)	-	2800
AUTO STOP (YES/NO)	-	YES

## MY-HPW-2200

WORKING PRESSURE (BAR)	-	220
POWER	-	4 HP
VOLTAGE	-	220V
FLOW(L/MIN)	-	12
ROTATING SPEED (RPM)	-	1440
AUTO STOP (YES/NO)	-	YES



## MY-HPW-2500

WORKING PRESSURE (BAR)	-	250
POWER	-	5 HP
VOLTAGE	-	220V
FLOW(L/MIN)	-	15
ROTATING SPEED (RPM)	-	1440
AUTO STOP (YES/NO)	-	YES



## MY-FW-SS

Working Pressure	- <0.3kpa
Capacity	- 80L
Material of valve	- Copper
Thickness	- 1.2mm
G.W/N.W	- 12/10 KG
Tank	- SS

## MY-FW-MS

Working Pressure	- <0.3kpa
Capacity	- 80L
Material of valve	- Copper
Thickness	- 1.2mm
G.W/N.W	- 12/10 KG
Tank	- MS



# CHAINSAW



**2**  
STROKE



- ▶ SINGLE GROOVE CYLINDER.
- ▶ SEMI CHISEL CHAIN.
- ▶ 40CR CRANKSHAFT.

## MY-CS-6010-18"-ECO MY-CS-6010-22"-ECO

DISPLACEMENT/GUIDE BAR - 58CC / 18 / 22 INCH  
RATED OUTPUT POWER - 2.3 KW / 8500 RPM  
IDLE SPEED - 3200+200 RPM  
OIL MIX RATIO - 1.25

## MY-CS-6020-22"-PRO

DISPLACEMENT/GUIDE BAR - 58CC / 22 INCH  
RATED OUTPUT POWER - 2.3 KW / 8500 RPM  
IDLE SPEED - 3200+200 RPM  
OIL MIX RATIO - 1.25

**2**  
STROKE



- ▶ DOUBLE GROOVE CYLINDER.
- ▶ FULL CHISEL CHAIN.
- ▶ 20 CROMO CRANKSHAFT.

**2**  
STROKE



- ▶ DOUBLE GROOVE CYLINDER.
- ▶ FULL CHISEL CHAIN.
- ▶ 20 CROMO CRANKSHAFT.

## MY-CS-6030-18"-SUPER PRO MY-CS-6030-22"-SUPER PRO

DISPLACEMENT/GUIDE BAR - 58CC / 18 / 22 INCH  
RATED OUTPUT POWER - 2.3 KW / 8500 RPM  
IDLE SPEED - 3200+200 RPM  
OIL MIX RATIO - 1.25

**Really**<sup>®</sup>

# ***REALLY AGRITECH PVT.LTD.***

**1015, 10th Floor Lodha Supremus District 2,  
Kolshet Road, Thane (W) 400607**

 [www.reallyagritech.com](http://www.reallyagritech.com)

 [info@reallyagritech.com](mailto:info@reallyagritech.com)

## ***CONTACT US***



**8788978080**



**8983449260**

follow us on



**SCAN ME**  
e-Catalogue